ELSEVIER

International Journal of Mass Spectrometry 254 (2006) 210

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 254

Adlhart, C., 189
Armentrout, P.B., 168
Azria, R., 63

Balaj, O.P., 183
Balog, R., 63
Balteanu, I., 183
Benz, L., 202
Bertin, M., 63
Beyer, M.K., 183
Blagojevic, V., 152
Blake, R.S., 85
Bohme, D.K., 152, 155, vii
Bonačić-Koutecký, V., 163
Bondybey, V.E., 183
Bowers, M.T., 202
Buratto, S.K., 202
Bürgel, C., 163
Burgers, P.C., 127

Castleman Jr., A.W., 163
Chen, J., 37
Cooks, R.G., 53

Dašić, A., 155
Domaracka, A., 63

Ellis, A.M., 85

Guillamón, E., 28
Gupta, S., 101

Heinemeier, J., 44
Hinton, C.S., 168
Hu, Q., 53

Illenberger, E., 63

Jiang, X., 37
Jobst, K.J., 127
Johnsen, S., 44

Kalo, P.J., 106
Karwasz, G.P., 63
Kemper, P., 202
Khairallah, G.N., 145
Kim, W., 122
Kimble, M.L., 163
Kolmakov, A., 202
Kreyling, W.G., 70
Krishnanchettiar, S., 101
Kumar, P.V.K., 94
Kummerlöwe, G., 183

Lafosse, A., 63
Langer, J., 63
Lateef, S.S., 101
Lee, B.-S., 101
Li, C.-T., 101
Lilach, Y., 202
Llusar, R., 28

Malcata, F.X., 106
Manard, M., 202
McMahon, A.W., 20
Meijer, G., 1
Menzel, N., 70
Metiu, H., 202
Monks, P.S., 85

Noll, R.J., 53

O'Hair, R.A.J., 145
Ollilainen, V., 106
Olsen, J., 44
Oomens, J., 1
Orzol, M., 63

Papanastasiou, D., 20
Park, Y., 122
Parke, L.G., 168
Perry, R.H., 53
Petrie, S., 136
Plass, W.R., 53
Pozo, O., 28

Rocha, J.M., 106
Roithová, J., 197
Ruttink, P.J.A., 127

Sankari, M., 94
Sartakov, B.G., 1
Schröder, D., 197
Schwarz, H., 197
Sedlacko, T., 63
Seierstad, I., 44
Song, K., 122
Sun, Z., 183
Suryanarayana, M.V., 94
Szymczak, W., 70

Terlouw, J.K., 127
Tong, X., 202

Uggerud, E., 189

Vicent, C., 28
Vinther, B., 44
von Helden, G., 1

Wittmaack, K., 70
Wu, G., 53
Wu, H., 37
Wyche, K.P., 85

Zhao, X., 155
Zhuo, S., 37

doi:10.1016/S1387-3806(06)00335-6

ELSEVIER

International Journal of Mass Spectrometry 254 (2006) 211–214

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 254

Alkaline-earth metal cations
Exploration of the catalytic oxidation of ethylene with N_2O mediated by atomic alkaline-earth metal cations, 155
Alkanium ions
C–H activation in reactions of protonated hydrogen peroxide with propane. Remarkable regioselectivity for hydride abstraction and mechanism for acid catalyzed hydrogen exchange, 189
Atmospheric chemistry
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136

Benzene
Catalytic reduction of N_2O by CO on benzene clusters of Fe^+: Catalytic poisoning by CO, 152
Bicarbonate formation
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136
Binomial and multinomial distributions
Random protein association analyses of MALDI-TOF mass spectra of two- and three-component protein systems using binomial and multinomial distribution, 101
Bond dissociation energies
Why is hafnium so unreactive? Experimental and theoretical studies of the reaction of Hf^+ with methane, 168

Carbocations
C–H activation in reactions of protonated hydrogen peroxide with propane. Remarkable regioselectivity for hydride abstraction and mechanism for acid catalyzed hydrogen exchange, 189
Carbon
TOF-SIMS characterisation of spark-generated nanoparticles made from pairs of Ir–Ir and Ir–C electrodes, 70
Catalysis
Activation of methane and methane-d_4 by ionic platinum clusters, 183
Formation, deposition and examination of size selected metal clusters on semiconductor surfaces: An experimental setup, 202
Catalysis by metal hydrides
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145
CBS-QB3 model chemistry
The loss of $NH_2O^\bullet$ from the *N*-hydroxyacetamide radical cation $CH_3C(=O)NHOH^{\bullet+}$: An ion-catalysed rearrangement, 127
CF-IRMS
Memory effect in deuterium analysis by continuous flow isotope ratio measurement, 44
C–H activation
Activation of methane and methane-d_4 by ionic platinum clusters, 183
C–H bond activation
Why is hafnium so unreactive? Experimental and theoretical studies of the reaction of Hf^+ with methane, 168

Chemical ionization
Chemical ionization reaction time-of-flight mass spectrometry: Multi-reagent analysis for determination of trace gas composition, 85
Chemical reaction
Reactions in nanofilms of trifluoroacetic acid (CF_3COOH) driven by low energy electrons, 63
CID
Ion chemistry of a series of cluster compounds with Mo_3Q_4 and $Mo_3M'Q_4$ (Q = S, Se; M′ = Cu, Co, Ni) cores containing 1,2 diphosphanes as ancillary ligands: New insights on the gas-phase stability from electrospray tandem mass spectrometry, 28
CIRMS
Chemical ionization reaction time-of-flight mass spectrometry: Multi-reagent analysis for determination of trace gas composition, 85
Cluster reaction
Interactions of CO with $Au_nO_m^-$ ($n \geq 4$)
CO oxidation
Interactions of CO with $Au_nO_m^-$ ($n \geq 4$)
CO poisoning
Catalytic reduction of N_2O by CO on benzene clusters of Fe^+: Catalytic poisoning by CO, 152
Collision induced dissociation
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145
Correction
Memory effect in deuterium analysis by continuous flow isotope ratio measurement, 44
Cuboidal complexes
Ion chemistry of a series of cluster compounds with Mo_3Q_4 and $Mo_3M'Q_4$ (Q = S, Se; M′ = Cu, Co, Ni) cores containing 1,2 diphosphanes as ancillary ligands: New insights on the gas-phase stability from electrospray tandem mass spectrometry, 28

δD deuterium measurements
Memory effect in deuterium analysis by continuous flow isotope ratio measurement, 44
DEA
Reactions in nanofilms of trifluoroacetic acid (CF_3COOH) driven by low energy electrons, 63
Decarboxylation
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145
Dehydrogenation kinetics
Activation of methane and methane-d_4 by ionic platinum clusters, 183
Density-functional calculations
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145
Diphosphane
Ion chemistry of a series of cluster compounds with Mo_3Q_4 and $Mo_3M'Q_4$ (Q = S, Se; M′ = Cu, Co, Ni) cores containing 1,2 diphosphanes as ancillary ligands: New insights on the gas-phase stability from electrospray tandem mass spectrometry, 28

doi:10.1016/S1387-3806(06)00336-8

Dipolar ac
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53

Electron stimulated desorption
Reactions in nanofilms of trifluoroacetic acid (CF_3COOH) driven by low energy electrons, 63
Electrospray ionisation
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145
Electrospray ionization as a convenient new method for the generation of catalytically active iron-oxide ions in the gas phase, 197
ESI-MS
Ion chemistry of a series of cluster compounds with Mo_3Q_4 and $Mo_3M'Q_4$ (Q = S, Se; M′ = Cu, Co, Ni) cores containing 1,2 diphosphanes as ancillary ligands: New insights on the gas-phase stability from electrospray tandem mass spectrometry, 28
Ethylene
Exploration of the catalytic oxidation of ethylene with N_2O mediated by atomic alkaline-earth metal cations, 155
Excitation
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53

Field solver
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53
Fourier transform
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53
Free fatty acid
Identification of molecular species of simple lipids by normal phase liquid chromatography–positive electrospray tandem mass spectrometry, and application of developed methods in comprehensive analysis of low erucic acid rapeseed oil lipids, 106

Gas phase
Interactions of CO with $Au_nO_m^-$ ($n \geq 4$)
Gas-phase ions
Gas-phase infrared multiple photon dissociation spectroscopy of mass-selected molecular ions, 1
Gold cluster
Interactions of CO with $Au_nO_m^-$ ($n \geq 4$)
Guided ion beam mass spectrometry
Why is hafnium so unreactive? Experimental and theoretical studies of the reaction of Hf^+ with methane, 168

Hafnium
Why is hafnium so unreactive? Experimental and theoretical studies of the reaction of Hf^+ with methane, 168
Harmonic motion
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53
Hydride abstraction
C–H activation in reactions of protonated hydrogen peroxide with propane. Remarkable regioselectivity for hydride abstraction and mechanism for acid catalyzed hydrogen exchange, 189
Hyperpolarizability
Effects of polarizability and hyperpolarizability on molecular spatial alignment in intense light fields, 37

Infrared
Gas-phase infrared multiple photon dissociation spectroscopy of mass-selected molecular ions, 1
Intense light fields
Effects of polarizability and hyperpolarizability on molecular spatial alignment in intense light fields, 37
Ion source
Formation, deposition and examination of size selected metal clusters on semiconductor surfaces: An experimental setup, 202
Ion trajectory simulation
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53
Ion-catalysis
The loss of $NH_2O^\bullet$ from the *N*-hydroxyacetamide radical cation $CH_3C(=O)NHOH^{\bullet+}$: An ion-catalysed rearrangement, 127
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136
Catalytic reduction of N_2O by CO on benzene clusters of Fe^+: Catalytic poisoning by CO, 152
Exploration of the catalytic oxidation of ethylene with N_2O mediated by atomic alkaline-earth metal cations, 155
Ion–ligand binding
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136
Ion–molecule reactions
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145
Iridium
TOF-SIMS characterisation of spark-generated nanoparticles made from pairs of Ir–Ir and Ir–C electrodes, 70
Iron cations
Catalytic reduction of N_2O by CO on benzene clusters of Fe^+: Catalytic poisoning by CO, 152
Iron hydroxide
Electrospray ionization as a convenient new method for the generation of catalytically active iron-oxide ions in the gas phase, 197
Iron oxide
Electrospray ionization as a convenient new method for the generation of catalytically active iron-oxide ions in the gas phase, 197
Isotope analysis
Application of non-resonant laser ionization mass spectrometry for a fast isotope analysis of metal microparticles, 122
Isotope ratio
Optimization of the conditions for simultaneous non-selective excitation of plutonium isotopes for isotope ratio measurements in resonance ionization mass spectrometry, 94

Laser ionization mass spectrometry
Application of non-resonant laser ionization mass spectrometry for a fast isotope analysis of metal microparticles, 122
Laser spectroscopy
Optimization of the conditions for simultaneous non-selective excitation of plutonium isotopes for isotope ratio measurements in resonance ionization mass spectrometry, 94
Low erucic acid rapeseed oil
Identification of molecular species of simple lipids by normal phase liquid chromatography–positive electrospray tandem mass spectrometry, and application of developed methods in comprehensive analysis of low erucic acid rapeseed oil lipids, 106

Magnesium formate anions
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145
Main-group metal ion
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136
MALDI-TOF MS
Random protein association analyses of MALDI-TOF mass spectra of two- and three-component protein systems using binomial and multinomial distribution, 101
Mass spectrometry
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53
TOF-SIMS characterisation of spark-generated nanoparticles made from pairs of Ir–Ir and Ir–C electrodes, 70
Optimization of the conditions for simultaneous non-selective excitation of plutonium isotopes for isotope ratio measurements in resonance ionization mass spectrometry, 94

C–H activation in reactions of protonated hydrogen peroxide with propane. Remarkable regioselectivity for hydride abstraction and mechanism for acid catalyzed hydrogen exchange, 189
Electrospray ionization as a convenient new method for the generation of catalytically active iron-oxide ions in the gas phase, 197
Memory effect
Memory effect in deuterium analysis by continuous flow isotope ratio measurement, 44
Metal clusters
Formation, deposition and examination of size selected metal clusters on semiconductor surfaces: An experimental setup, 202
Metal nitrate
Electrospray ionization as a convenient new method for the generation of catalytically active iron-oxide ions in the gas phase, 197
Meteoric ablation
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136
Methane
Why is hafnium so unreactive? Experimental and theoretical studies of the reaction of Hf^+ with methane, 168
Activation of methane and methane-d_4 by ionic platinum clusters, 183
Microparticle
Application of non-resonant laser ionization mass spectrometry for a fast isotope analysis of metal microparticles, 122
Molybdenum sulfide clusters
Ion chemistry of a series of cluster compounds with Mo_3Q_4 and $Mo_3M'Q_4$ (Q = S, Se; M′ = Cu, Co, Ni) cores containing 1,2 diphosphanes as ancillary ligands: New insights on the gas-phase stability from electrospray tandem mass spectrometry, 28
Mono-, Di- and Triacylglycerol
Identification of molecular species of simple lipids by normal phase liquid chromatography–positive electrospray tandem mass spectrometry, and application of developed methods in comprehensive analysis of low erucic acid rapeseed oil lipids, 106
Multiple photon dissociation
Gas-phase infrared multiple photon dissociation spectroscopy of mass-selected molecular ions, 1
Multistage mass spectrometry
Dehydrogenation of formic acid catalyzed by magnesium hydride anions, $HMgL_2^-$ (L = Cl and HCO_2), 145

N_2 and Cl_2 molecules
Effects of polarizability and hyperpolarizability on molecular spatial alignment in intense light fields, 37
N_2O reduction
Catalytic reduction of N_2O by CO on benzene clusters of Fe^+: Catalytic poisoning by CO, 152
Exploration of the catalytic oxidation of ethylene with N_2O mediated by atomic alkaline-earth metal cations, 155
Nanoparticle
TOF-SIMS characterisation of spark-generated nanoparticles made from pairs of Ir–Ir and Ir–C electrodes, 70
Normal phase liquid chromatography – Positive electrospray ionization tandem mass spectrometry
Identification of molecular species of simple lipids by normal phase liquid chromatography–positive electrospray tandem mass spectrometry, and application of developed methods in comprehensive analysis of low erucic acid rapeseed oil lipids, 106

O-atom transport
Catalytic reduction of N_2O by CO on benzene clusters of Fe^+: Catalytic poisoning by CO, 152
Exploration of the catalytic oxidation of ethylene with N_2O mediated by atomic alkaline-earth metal cations, 155
Orbitrap
Ion trajectory simulations of axial ac dipolar excitation in the Orbitrap, 53
Orthogonal time-of-flight mass spectrometry
Correlated phase space distributions of ions in an orthogonal time-of-flight mass spectrometer, 20
Platinum
Activation of methane and methane-d_4 by ionic platinum clusters, 183
Polarizability
Effects of polarizability and hyperpolarizability on molecular spatial alignment in intense light fields, 37
Proton-transfer
Chemical ionization reaction time-of-flight mass spectrometry: Multi-reagent analysis for determination of trace gas composition, 85
C–H activation in reactions of protonated hydrogen peroxide with propane. Remarkable regioselectivity for hydride abstraction and mechanism for acid catalyzed hydrogen exchange, 189
PTR-MS
Chemical ionization reaction time-of-flight mass spectrometry: Multi-reagent analysis for determination of trace gas composition, 85
Pu
Optimization of the conditions for simultaneous non-selective excitation of plutonium isotopes for isotope ratio measurements in resonance ionization mass spectrometry, 94

Quantum chemical calculation
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136
Quantum chemistry
C–H activation in reactions of protonated hydrogen peroxide with propane. Remarkable regioselectivity for hydride abstraction and mechanism for acid catalyzed hydrogen exchange, 189
Quid-pro-quo mechanism
The loss of $NH_2O^\bullet$ from the *N*-hydroxyacetamide radical cation $CH_3C(=O)NHOH^{\bullet+}$: An ion-catalysed rearrangement, 127

Random protein association
Random protein association analyses of MALDI-TOF mass spectra of two- and three-component protein systems using binomial and multinomial distribution, 101
Reaction mechanism
C–H activation in reactions of protonated hydrogen peroxide with propane. Remarkable regioselectivity for hydride abstraction and mechanism for acid catalyzed hydrogen exchange, 189
Resonance ionization mass spectrometry
Optimization of the conditions for simultaneous non-selective excitation of plutonium isotopes for isotope ratio measurements in resonance ionization mass spectrometry, 94

Size selected
Formation, deposition and examination of size selected metal clusters on semiconductor surfaces: An experimental setup, 202
Solvent-assisted reaction
A gas-phase solvent effect: The role of water molecules in the conversion of the $HOMg^+/CO_2$ adduct ion to the magnesium bicarbonate ion, Mg^+O_2COH, 136
Space-velocity correlation focusing
Correlated phase space distributions of ions in an orthogonal time-of-flight mass spectrometer, 20
Spark discharge
TOF-SIMS characterisation of spark-generated nanoparticles made from pairs of Ir–Ir and Ir–C electrodes, 70
Spectroscopy
Gas-phase infrared multiple photon dissociation spectroscopy of mass-selected molecular ions, 1
Sterol
Identification of molecular species of simple lipids by normal phase liquid chromatography–positive electrospray tandem mass spectrometry, and application of developed methods in comprehensive analysis of low erucic acid rapeseed oil lipids, 106

Tandem mass spectrometry
The loss of $NH_2O^{\bullet}$ from the *N*-hydroxyacetamide radical cation $CH_3C(=O)NHOH^{\bullet+}$: An ion-catalysed rearrangement, 127

Thermal desorption
Reactions in nanofilms of trifluoroacetic acid (CF_3COOH) driven by low energy electrons, 63